


DISPLAY AND CROWN / BUTTON OPERATION




ADJUSTING THE STOPWATCH HAND POSITION

Before setting the time, check if the stopwatch second and minute hands are in the "0"(12 o'clock) position.
*if the stopwatch is in use, press the button in the following order to reset it, and then, check if the hands return to "0" position. (For details, see "HOW TO USE THE STOPWATCH")

- * If the stopwatch is counting : A → B
- * If the stopwatch is stopped : B
- * If the split time is displayed : B → A → B

If either of the stopwatch hands are not in the "0" position, reset them following the procedure below.



1. Pull the crown out to the second click.

2. Press button A or B to reset the stopwatch second and minute hand to "0" position.


*By pressing button A the hands move counter clockwise.

* By pressing button "B", the hands move clockwise.

3. Push the crown back to the normal position.

TIME SETTING

* Before setting the time, check that the chronograph measurement is stopped.



1.Pull out the crown to the first click.

2.Turn the crown clockwise until the previous day's date appears.

3.Pull out the crown to the second click when the second hand is at the 12 o'clock position. It will stop on the spot and advance the hour and minute hands by turning the crown. (Check that AM/PM is set correctly.)

4.Push the crown back in to the normal position in accordance with a time signal.

*When the crown is at the second click position. Do not press any button. Otherwise, the chronograph hands will move.

*Do not set the date between 9:00 P.M. and 1:00 A.M.

Otherwise, the day may not change properly. If it is necessary to set the date during that time period, First change the time to any time outside it, set the date and then reset the correct time.

HOW TO USE THE STOPWATCH

- The measurement time is indicated by the stopwatch hands that move independently of the center hands.
- The stopwatch can measure up to 60 minutes in seconds.
(The watch indicates the measured time in second increments by ignoring off the 1/10 seconds obtained.)




(Standard measurement)

Ex) 100 m race (Press the buttons in the following order A → A → B)

START → STOP (Finish) → RESET (Reset to "0'00")

stopwatch minute hand





stopwatch second hand



10 second

Ex) Basketball game (Press the buttons in the following order A → A/A → A → B)

START → STOP RESTART → STOP RESET
(Start of game) (Time out) (Restart of game) (Game over)







5 minutes 10 seconds 20 minutes 00 seconds

*Restart and stop of the stopwatch can be repeated as many times as necessary by pressing button A.

(Split time measurement)

Ex) 5,000 m race (Press the buttons in the following order A → B / B → A → B)

START → SPLIT / SPLIT RELEASE → STOP → RESET



2 minutes 50 seconds 15 minutes 10 seconds

* Measurement and release of the split time can be repeated as many times as necessary by pressing button B.